SAFETY DATA SHEET

Section 1. Identification

Date 07/15/2016

Version

GHS product identifier FS Synthetic Gear Lube, SAE 80W-140

Code 188297, 187941, 203160, 204047, 291667

Product type Liquid.

Identified usesLubricating Oil. Not to be misted.

Manufactured for Growmark

2200 South Avenue Council Bluffs, IA 51503 Tel: 712-322-4038

Emergency telephone number (with hours of

operation)

CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)(24/7)

Section 2. Hazards identification

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the EYE IRRITATION - Category 2B

substance or mixture AQUATIC HAZARD (LONG-TERM) - Category 4

GHS label elements

Signal word Warning

Hazard statements Causes eye irritation.

May cause long lasting harmful effects to aquatic life.

Precautionary statements

Prevention Avoid release to the environment. Wash hands thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Not applicable.

Disposal Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise classified (HNOC)

Health hazards not

otherwise

classified (HHNOC)

None known.

Section 3. Composition/information on ingredients

Mixture Substance/mixture

Not available. Other means of identification

CAS number/other identifiers

CAS number Not applicable.

Product code 188297, 187941, 203160, 204047, 291667

Ingredient name	%	CAS number	
1-Propene, 2-methyl-, homopolymer	≥25 - ≤50	9003-27-4	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower Eye contact

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20

minutes. If irritation persists, get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Maintain an open airway. Get medical

attention if symptoms occur.

Skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash

> contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact Causes eye irritation.

Inhalation No known significant effects or critical hazards.

Skin contactNo known significant effects or critical hazards. **Ingestion**No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

pain or irritation

watering redness

InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large

Use an extinguishing agent suitable for the surrounding fire.

quantities have been ingested or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders No special protection is required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

None known.

Unsuitable extinguishing

media

This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Chazifdous thermal Decomposition products may include the following materials:

decomposition products carbon dioxide carbon monoxide

Special protective actions

for fire-fighters

Specific hazards

arising from the

No special protection is required.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

United States

None known.

Appropriate engineering

controls

Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure

they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

Body protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection Not required under normal conditions of use.

Section 9. Physical and chemical properties

<u>Appearance</u>

Physical stateLiquid.ColorYellow.OdorSulfur.

Odor threshold Not available.

pH Not available.

Melting point - 38 to -34°C (-36.4 to -29.2°F)

Boiling point Not available.

Flash point Open cup: 214 to 220°C (417.2 to 428°F) [Cleveland.]

Evaporation rate Not available.

Flammability (solid, gas) Lower and upper explosive

Not available. Not available.

(flammable) limits

Not available. Vapor pressure Vapor density Not available. Relative density 0.8789 to 0.8855 Solubility Not available. Partition coefficient: n-Not available.

octanol/water

Not available. **Auto-ignition temperature**

Decomposition temperature Not available.

Kinematic: 0.157 to 0.27 cm²/s (15.7 to 27 cSt) (100°C) **Viscosity**

Kinematic: 1.304 to 2.826 cm²/s (130.4 to 282.6 cSt) (40°C)

Volatility Not available.

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. Reactivity

The product is stable. **Chemical stability**

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

There is no data available.

Irritation/Corrosion

There is no data available.

Sensitization

There is no data available.

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Hydrogenated Base Oil (64742-54-7)	-	-	-	A4	1	-

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely

routes of exposure

Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eye contact Causes eye irritation.

InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

pain or irritation

watering redness

InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate No known significant effects or critical hazards.

effects

Potential delayed effects No known significant effects or critical hazards.

Long term exposure

Potential immediate No known significant effects or critical hazards.

effects

Potential delayed effects No known significant effects or critical hazards.

Potential chronic health effects

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
1-Propene, 2-methyl-, homopolymer	Acute LC50 >5600000 μg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

There is no data available.

Mobility in soil

Soil/water partition coefficient (Koc)

There is no data available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	IMDG		
UN number	Not regulated.	Not regulated.	Not regulated.	
UN proper shipping name	-	-	-	
Transport hazard class(es)	-	-	-	
Packing group	-	-	-	
Environmental hazards	No.	No.	No.	
Additional information	-	-	-	

AERG: Not applicable

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Not available.

Section 15. Regulatory information

U.S. Federal regulations United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Ethylbenzene; Benzene; Naphthalene Clean Water Act (CWA) 311: Ethylbenzene; Benzene; Naphthalene Clean Air Act Section 112 Listed (b) Hazardous Air Pollutants (HAPs) Not listed Clean Air Act Section 602 Class I Substances

Clean Air Act Section Not listed 602 Class II Substances

DEA List I Chemicals (Precursor Chemicals) Not listed

DEA List II Chemicals (Essential Chemicals)

Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

SARA 311/312

Classification Immediate (acute) health hazard

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
1-Propene, 2-methyl-, homopolymer	≥25 - ≤50	No.	No.	No.	Yes.	No.

SARA 313

No products were found.

State regulations

MassachusettsNone of the components are listed.New YorkNone of the components are listed.

New Jersey The following components are listed: Hydrogenated Base Oil (64742-54-7) **Pennsylvania** The following components are listed: Hydrogenated Base Oil (64742-54-7)

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Ethylbenzene	Yes.		41 μg/day (ingestion)	No.
Benzene	Yes.		54 μg/day (inhalation)	24 ualday (ingostion)
Delizerie	165.		, , , , ,	24 μg/day (ingestion) 49 μg/day (inhalation)
Naphthalene	Yes.		Yes.	No.

Section 16. Other information

History

Date of issue mm/dd/yyyy 07/15/2016 Date of previous issue 11/15/2014

Version 6

Prepared by Growmark

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.